Your baby at 2 months

Baby's Name Baby's Age Today's Date

Milestones matter! How your baby plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your baby has reached by 2 months. Take this with you and talk with your baby's doctor at every well-child visit about the milestones your baby has reached and what to expect next.



What most babies do by this age:

Social/Emotional Milestones

- ☐ Calms down when spoken to or picked up
- Looks at your face
- ☐ Seems happy to see you when you walk up to her
- ☐ Smiles when you talk to or smile at her

Language/Communication Milestones

- ☐ Makes sounds other than crying
- Reacts to loud sounds

Cognitive Milestones (learning, thinking, problem-solving)

- Watches you as you move
- □ Looks at a toy for several seconds

Movement/Physical Development Milestones

- □ Holds head up when on tummy
- Moves both arms and both legs
- Opens hands briefly

Other important things to share with the doctor...

- 1. What are some things you and your baby do together? ____
- What are some things your baby likes to do?
- 3. Is there anything your baby does or does not do that concerns you?
- 4. Has your baby lost any skills he/she once had? ___
- 5. Does your baby have any special healthcare needs or was he/she born prematurely? _

You know your baby best. Don't wait. If your baby is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your baby's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your baby more; and
- **2.** Call your state or territory's early intervention program to find out if your baby can get services to help. Learn more and find the number at **cdc.gov/FindEl**.

For more on how to help your baby, visit cdc.gov/Concerned.









- ☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.
- ☐ Support your child's development with these tips and many more from www.cdc.gov/milestones or on CDC's *Milestone Tracker* app
 - Feed only breast milk or formula to your baby. Babies are not ready for other foods, water or other drinks for about the first 6 months of life.
 - Learn when your baby is hungry by looking for signs. Watch for signs of hunger, such as putting hands to mouth, turning head toward breast/bottle, or smacking/licking lips.
 - Look for signs your baby is full, such as closing her mouth or turning her head away from the breast/bottle. If your baby is not hungry, it's ok to stop feeding.
 - Take care of yourself. Parenting can be hard work! It's easier to enjoy your new baby when you feel good yourself.
 - Talk, read, and sing to your baby to help her develop and understand language.

If your child is missing milestones or you have other concerns:

Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as possible. Tell the doctor you want to talk about your child's development. Take this checklist with you and ask for developmental screening.
 Call for services to help. Call ______ and say "I have concerns about my child's development and would like to have my child evaluated to find out if he/she is eligible for services to

Don't wait. Acting early can make a real difference!

Note to Dr.

help." You don't need a doctor's referral to call this program.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones MOST children (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program _____ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.







Your baby at 4 months

Baby's Name Baby's Age Today's Date

Milestones matter! How your baby plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your baby has reached by 4 months. Take this with you and talk with your baby's doctor at every well-child visit about the milestones your baby has reached and what to expect next.



What most babies do by this age:

Social/Emotional Milestones

- ☐ Smiles on his own to get your attention
- ☐ Chuckles (not yet a full laugh) when you try to make her laugh
- Looks at you, moves, or makes sounds to get or keep your attention

Language/Communication Milestones

- ☐ Makes sounds like "oooo", "aahh" (cooing)
- ☐ Makes sounds back when you talk to him
- □ Turns head towards the sound of your voice

Cognitive Milestones (learning, thinking, problem-solving)

- ☐ If hungry, opens mouth when she sees breast or bottle
- Looks at his hands with interest

Movement/Physical Development Milestones

- □ Holds head steady without support when you are holding her
- ☐ Holds a toy when you put it in his hand
- ☐ Uses her arm to swing at toys
- Brings hands to mouth
- ☐ Pushes up onto elbows/forearms when on tummy

Other important things to share with the doctor...

- 1. What are some things you and your baby do together? ____
- 2. What are some things your baby likes to do? __
- 3. Is there anything your baby does or does not do that concerns you?
- 4. Has your baby lost any skills he/she once had? ___
- 5. Does your baby have any special healthcare needs or was he/she born prematurely? _

You know your baby best. Don't wait. If your baby is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your baby's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your baby more; and
- Call your state or territory's early intervention program to find out if your baby can get services to help. Learn more and find the number at cdc.gov/FindEI.

For more on how to help your baby, visit cdc.gov/Concerned.









- ☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.
- ☐ Support your child's development with these tips and many more from www.cdc.gov/milestones or on CDC's *Milestone Tracker* app
 - Feed only breast milk or formula to your baby. Babies are not ready for other foods, water or other drinks for about the first 6 months of life. Set steady routines for sleeping and feeding.
 - Let your baby have time to move and interact with people and objects throughout the day. Try not to keep your baby in swings, strollers, or bouncy seats for too long.
 - Allow your baby to put safe things in his mouth to explore them. This is how babies learn. For example, let him see, hear, and touch things that are not sharp, hot, or small enough to choke on.
 - Lay your baby on her back and show her a bright-colored toy. Move the toy slowly from left to right and up and down to see if she watches how the toy moves.

If your child is missing milestones or you have other concerns:

- ☐ Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as possible.

 Tell the doctor you want to talk about your child's development. Take this checklist with you and ask for developmental screening.
- ☐ Call for services to help. Call _____ and say "I have concerns about my child's development and would like to have my child evaluated to find out if he/she is eligible for services to help." You don't need a doctor's referral to call this program.

Don't wait. Acting early can make a real difference!

Note to Dr.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones **MOST children (at least 75%)** would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program _____ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.







Your baby at 6 months

Baby's Name Baby's Age Today's Date

Milestones matter! How your baby plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your baby has reached by 6 months. Take this with you and talk with your baby's doctor at every well-child visit about the milestones your baby has reached and what to expect next.



What most babies do by this age:

Social/Emotional Milestones

- Knows familiar people
- ☐ Likes to look at himself in a mirror
- Laughs

Language/Communication Milestones

- ☐ Takes turns making sounds with you
- ☐ Blows "raspberries" (sticks tongue out and blows)
- Makes squealing noises

Cognitive Milestones (learning, thinking, problem-solving)

- ☐ Puts things in her mouth to explore them
- ☐ Reaches to grab a toy he wants
- ☐ Closes lips to show she doesn't want more food

Movement/Physical Development Milestones

- □ Rolls from tummy to back
- ☐ Pushes up with straight arms when on tummy
- ☐ Leans on hands to support himself when sitting

Other important things to share with the doctor...

- 1. What are some things you and your baby do together? ____
- 2. What are some things your baby likes to do? __
- 3. Is there anything your baby does or does not do that concerns you?
- 4. Has your baby lost any skills he/she once had? ___
- 5. Does your baby have any special healthcare needs or was he/she born prematurely?

You know your baby best. Don't wait. If your baby is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your baby's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your baby more; and
- **2.** Call your state or territory's early intervention program to find out if your baby can get services to help. Learn more and find the number at **cdc.gov/FindEl**.

For more on how to help your baby, visit cdc.gov/Concerned.









- ☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.
- □ Support your child's development with these tips and many more from www.cdc.gov/milestones or on CDC's Milestone Tracker app
 - Talk with your baby's doctor about when to start solid foods and what foods are choking risks. Breast milk or formula is still the most important source of "food" for your baby.
 - Point out new things to your baby and name them. For example, when on a walk, point out cars, trees, and animals.
 - Put your baby on her tummy or back and put toys just out of reach. Encourage her to roll over to reach the toys.
 - Learn when your baby is hungry or full. Pointing to foods, opening his mouth to a spoon, or getting excited when seeing food are signs that he is hungry. Others, like pushing food away, closing his mouth, or turning his head away from food tells you that he's had enough.

If your child is missing milestones or you have other concerns:

Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as possible. Tell the doctor you want to talk about your child's development. Take this checklist with you and ask for developmental screening.
 Call for services to help. Call _____ and say "I have concerns about my child's development and would like to have my child evaluated to find out if he/she is eligible for services to

Don't wait. Acting early can make a real difference!

Note to Dr.

help." You don't need a doctor's referral to call this program.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones MOST children (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program _____ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.







Your baby at 9 months*

Baby's Name Baby's Age Today's Date

Milestones matter! How your baby plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your baby has reached by 9 months. Take this with you and talk with your baby's doctor at every well-child visit about the milestones your baby has reached and what to expect next.

What most babies do by this age:

Social/Emotional Milestones

- ☐ Is shy, clingy, or fearful around strangers
- □ Shows several facial expressions, like happy, sad, angry, and surprised
- ☐ Looks when you call her name
- □ Reacts when you leave (looks, reaches for you, or cries)
- ☐ Smiles or laughs when you play peek-a-boo

Language/Communication Milestones

- Makes different sounds like "mamamama" and "babababa"
- ☐ Lifts arms up to be picked up

Cognitive Milestones (learning, thinking, problem-solving)

- □ Looks for objects when dropped out of sight (like his spoon or toy)
- □ Bangs two things together

Movement/Physical Development Milestones

- Gets to a sitting position by herself
- Moves things from one hand to her other hand
- ☐ Uses fingers to "rake" food towards himself
- ☐ Sits without support

* It's time for developmental screening!

At 9 months, your baby is due for general developmental screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your baby's developmental screening.

Other important things to share with the doctor...

- 1. What are some things you and your baby do together?
- What are some things your baby likes to do?
- 3. Is there anything your baby does or does not do that concerns you?
- 4. Has your baby lost any skills he/she once had? ___
- 5. Does your baby have any special healthcare needs or was he/she born prematurely? _

You know your baby best. Don't wait. If your baby is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your baby's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your baby more; and
- Call your state or territory's early intervention program to find out if your baby can get services to help. Learn more and find the number at cdc.gov/FindEI.

For more on how to help your baby, visit cdc.gov/Concerned.









☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.



☐ Support your child's development with these tips and many more from www.cdc.gov/milestones or on CDC's *Milestone Tracker* app

- Find out about choking risks and safe foods to feed your baby. Let him practice feeding himself with his fingers and using a cup with a small amount of water. Sit next to your baby and enjoy mealtime together. Expect spills. Learning is messy and fun!
- Ask for behaviors that you want. For example, instead of saying "don't stand," say "time to sit."
- Help your baby get used to foods with different tastes and textures. Foods can be smooth, mashed, or finely chopped. Your baby might not like every food on the first try. Give her a chance to try foods again and again.
- Play with your baby by dumping blocks from a container and putting them back in together.

If your child is missing milestones or you have other concerns:

Call your child's doctor. Schedule a follow-up visit v Tell the doctor you want to talk about your child's devel for developmental screening.	
Call for services to help. Call	and say "I have concerns about my child's

Don't wait. Acting early can make a real difference!

Note to Dr.

help." You don't need a doctor's referral to call this program.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones MOST children (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program _____ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.







Your baby at 12 months

Baby's Name Baby's Age Today's Date

Milestones matter! How your baby plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your baby has reached by 12 months. Take this with you and talk with your baby's doctor at every well-child visit about the milestones your baby has reached and what to expect next.



What most babies do by this age:

Social/Emotional Milestones

☐ Plays games with you, like pat-a-cake

Language/Communication Milestones

- Waves "bye-bye"
- ☐ Calls a parent "mama" or "dada" or another special
- ☐ Understands "no" (pauses briefly or stops when you say it)

Cognitive Milestones (learning, thinking, problem-solving)

- Puts something in a container, like a block in a cup
- Looks for things he sees you hide, like a toy under a blanket

Movement/Physical Development Milestones

- □ Pulls up to stand
- □ Walks, holding on to furniture
- ☐ Drinks from a cup without a lid, as you hold it
- □ Picks things up between thumb and pointer finger, like small bits of food

Other important things to share with the doctor...

- 1. What are some things you and your baby do together? ____
- 2. What are some things your baby likes to do? __
- 3. Is there anything your baby does or does not do that concerns you?
- 4. Has your baby lost any skills he/she once had? ___
- 5. Does your baby have any special healthcare needs or was he/she born prematurely?

You know your baby best. Don't wait. If your baby is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your baby's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your baby more; and
- Call your state or territory's early intervention program to find out if your baby can get services to help. Learn more and find the number at cdc.gov/FindEI.

For more on how to help your baby, visit cdc.gov/Concerned.









Share this checklist & keep tracking milestones! Take this checklist to your
child's next check-up and be sure to share it with the doctor, as well as others who
care for your child. Keep tracking by downloading CDC's FREE Milestone Tracker app
or find online checklists at www.cdc.gov/Milestones.



- Give your baby water, breast milk, or plain milk. You don't need to give your baby juice, but if you do, give 4 ounces or less a day of 100% fruit juice. Do not give your baby other sugary beverages, such as fruit drinks, soda, sports drinks, or flavored milks.
- Help your baby get used to foods with different tastes and textures. Foods can be smooth, mashed, or finely chopped. Your baby might not like every food on the first try. Give your baby a chance to try foods again and again.
- Give your baby safe places to explore. Baby-proof your home. For example, move sharp or breakable things out of reach. Lock away medicines, chemicals, and cleaning products. Save the Poison Help Line number, 800-222-1222, in all phones.
- Build on what your baby tries to say. If he says "ta," say "Yes, a truck," or if he says "truck," say "Yes, that's a big, blue truck."

If your child is missing milestones or you have other concerns:

	w-up visit with your child's doctor as soon as possible. hild's development. Take this checklist with you and ask
•	and say "I have concerns about my child" devaluated to find out if he/she is eligible for services to
help." You don't need a doctor's referral to c	· · · · · · · · · · · · · · · · · · ·

Don't wait. Acting early can make a real difference!

Note to Dr. ______

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones **MOST children** (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program _____ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.







Your child at 15 months

Child's Name Child's Age Today's Date

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 15 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What most children do by this age:

Social/Emotional Milestones

- ☐ Copies other children while playing, like taking toys out of a container when another child does
- Shows you an object she likes
- Claps when excited
- ☐ Hugs stuffed doll or other toy
- ☐ Shows you affection (hugs, cuddles, or kisses you)

Language/Communication Milestones

- ☐ Tries to say one or two words besides "mama" or "dada," like "ba" for ball or "da" for dog
- ☐ Looks at a familiar object when you name it
- □ Follows directions given with both a gesture and words. For example, he gives you a toy when you hold out your hand and say, "Give me the toy."
- Points to ask for something or to get help

Cognitive Milestones (learning, thinking, problem-solving)

- ☐ Tries to use things the right way, like a phone, cup, or book
- ☐ Stacks at least two small objects, like blocks

Movement/Physical Development Milestones

- □ Takes a few steps on his own
- ☐ Uses fingers to feed herself some food

Other important things to share with the doctor...

- What are some things you and your child do together?
- 2. What are some things your child likes to do? _
- 3. Is there anything your child does or does not do that concerns you?
- 4. Has your child lost any skills he/she once had? ___
- 5. Does your child have any special healthcare needs or was he/she born prematurely?

You know your child best. Don't wait. If your child is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your child's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your child more; and
- **2.** Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at **cdc.gov/FindEl**.

For more on how to help your baby, visit cdc.gov/Concerned.









- ☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.
- ☐ Support your child's development with these tips and many more from www.cdc.gov/milestones or on CDC's *Milestone Tracker* app
 - Have steady routines for sleeping and feeding. Create a calm, quiet bedtime for your child. Put on his pajamas, brush his teeth, and read 1 or 2 books to him. Children between 1 and 2 years of age need 11 to 14 hours of sleep a day (including naps). Consistent sleep times make it easier!
 - Let your child use a cup without a lid for drinking and practice eating with a spoon. Learning to eat and drink is messy but fun!
 - Limit screen time (TV, tablets, phones, etc.) to video calling with loved ones. Screen time is not recommended for children younger than 2 years of age. Children learn by talking, playing, and interacting with others.
 - Sing songs with gestures, such as "Wheels on the Bus." See if your child tries to do some of the actions.

If your child is missing milestones or you have other concerns:

Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as possible. Tell the doctor you want to talk about your child's development. Take this checklist with you and ask for developmental screening.
 Call for services to help. Call ______ and say "I have concerns about my child's development and would like to have my child evaluated to find out if he/she is eligible for services to help." You don't need a doctor's referral to call this program.

Don't wait. Acting early can make a real difference!

Note to Dr.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones MOST children (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program ______ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.







Your child at 18 months*

Child's Name Child's Age Today's Date

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 18 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What most children do by this age:

Social/Emotional Milestones

- Moves away from you, but looks to make sure you are close by
- ☐ Points to show you something interesting
- Puts hands out for you to wash them
- Looks at a few pages in a book with you
- □ Helps you dress him by pushing arm through sleeve or lifting up foot

Language/Communication Milestones

- ☐ Tries to say three or more words besides "mama" or "dada"
- □ Follows one-step directions without any gestures, like giving you the toy when you say, "Give it to me."

Cognitive Milestones (learning, thinking, problem-solving)

- ☐ Copies you doing chores, like sweeping with a broom
- □ Plays with toys in a simple way, like pushing a toy car

Movement/Physical Development Milestones

- ☐ Walks without holding on to anyone or anything
- □ Scribbles
- ☐ Drinks from a cup without a lid and may spill sometimes
- □ Feeds herself with her fingers
- ☐ Tries to use a spoon
- ☐ Climbs on and off a couch or chair without help

* It's time for developmental screening!

At 18 months, your child is due for general developmental screening and an autism screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.

Other important things to share with the doctor...

- 1. What are some things you and your child do together?
- 2. What are some things your child likes to do? _
- 3. Is there anything your child does or does not do that concerns you? __
- 4. Has your child lost any skills he/she once had? _
- 5. Does your child have any special healthcare needs or was he/she born prematurely?

You know your child best. Don't wait. If your child is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your child's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your child more; and
- **2.** Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at **cdc.gov/FindEl**.

For more on how to help your baby, visit cdc.gov/Concerned.









Share this checklist & keep tracking milestones! Take this checklist to your
child's next check-up and be sure to share it with the doctor, as well as others who
care for your child. Keep tracking by downloading CDC's FREE Milestone Tracker app
or find online checklists at www.cdc.gov/Milestones.



- Let your child use a cup without a lid for drinking and practice eating with a spoon. Learning to eat and drink is messy but fun!
- Give simple choices. Let your child choose between two things. For example, when dressing, ask him if he wants to wear the red or blue shirt.
- Start to teach your child the names for body parts by pointing them out and saying things like "Here's your nose, here's my nose," while pointing to her nose and your own.
- Have steady routines for sleeping and eating. For example, sit at the table with your child when she's eating meals and snacks. This helps set mealtime routines for your family.

If your child is missing milestones or you have other concerns:

☐ Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as poss Tell the doctor you want to talk about your child's development. Take this checklist with you are		•
П	for developmental screening. Call for services to help. Call	and say "I have concerns about my child's
	development and would like to have my child evaluate	

Don't wait. Acting early can make a real difference!

Note to Dr.

help." You don't need a doctor's referral to call this program.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones MOST children (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program ______ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.









Your child at 2 years*

Child's Name Child's Age Today's Date

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 2. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What most children do by this age:

Social/Emotional Milestones

- □ Notices when others are hurt or upset, like pausing or looking sad when someone is crying
- ☐ Looks at your face to see how to react in a new situation

Language/Communication Milestones

- □ Points to things in a book when you ask, like "Where is the bear?"
- ☐ Says at least two words together, like "More milk."
- □ Points to at least two body parts when you ask him to show you
- ☐ Uses more gestures than just waving and pointing, like blowing a kiss or nodding yes

Cognitive Milestones (learning, thinking, problem-solving)

Holds something in one hand while using the other hand;
 for example, holding a container and taking the lid off

- Tries to use switches, knobs, or buttons on a toy
- Plays with more than one toy at the same time, like putting toy food on a toy plate

Movement/Physical Development Milestones

- □ Kicks a ball
- □ Runs
- Walks (not climbs) up a few stairs with or without help
- Eats with a spoon

* It's time for developmental screening!

At 2 years, your child is due for an autism screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.

Other important things to share with the doctor...

- 1. What are some things you and your child do together?
- 2. What are some things your child likes to do?
- 3. Is there anything your child does or does not do that concerns you? ___
- 4. Has your child lost any skills he/she once had?
- 5. Does your child have any special healthcare needs or was he/she born prematurely?

You know your child best. Don't wait. If your child is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your child's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your child more; and
- **2.** Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at **cdc.gov/FindEl**.

For more on how to help your baby, visit cdc.gov/Concerned.









☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.



- Allow your child to eat as much or as little as she wants at each meal. Toddlers don't always eat the same amount or type of food each day. Your job is to offer her healthy foods and it's your child's job to decide if and how much she needs to eat.
- Have steady routines for sleeping and feeding. Create a calm, quiet bedtime for your child. Put on his pajamas, brush his teeth, and read 1 or 2 books to him. Children this age need 11 to 14 hours of sleep a day (including naps). Consistent sleep times make it easier.
- Ask your child's doctor and/or teachers about toilet training to know if your child is ready to start. Most children are not able to toilet train until 2 to 3 years old. Starting too early can cause stress and setbacks, which can cause training to take longer.
- Watch your child closely during playdates. Children this age play next to each other, but do not know how to share and solve problems. Show your child how to deal with conflicts by helping her share, take turns, and use words when possible.

If your child is missing milestones or you have other concerns:

Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as possible.
Tell the doctor you want to talk about your child's development. Take this checklist with you and ask
for developmental screening.

☐ Call for services to help. Call _____ and say "I have concerns about my child's development and would like to have my child evaluated to find out if he/she is eligible for services to help." You don't need a doctor's referral to call this program.

Don't wait. Acting early can make a real difference!

Note to Dr. ______

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones **MOST children** (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program _____ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.









Your child at 30 months*

Child's Name Child's Age Today's Date

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 30 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What most children do by this age:

Social/Emotional Milestones

- Plays next to other children and sometimes plays with them
- ☐ Shows you what she can do by saying, "Look at me!"
- □ Follows simple routines when told, like helping to pick up toys when you say, "It's clean-up time."

Language/Communication Milestones

- ☐ Says about 50 words
- ☐ Says two or more words, with one action word, like "Doggie run"
- □ Names things in a book when you point and ask, "What is this?"
- ☐ Says words like "I," "me," or "we"

Cognitive Milestones (learning, thinking, problem-solving)

☐ Uses things to pretend, like feeding a block to a doll as if it were food

- Shows simple problem-solving skills, like standing on a small stool to reach something
- ☐ Follows two-step instructions like "Put the toy down and close the door."
- ☐ Shows he knows at least one color, like pointing to a red crayon when you ask, "Which one is red?"

Movement/Physical Development Milestones

- ☐ Uses hands to twist things, like turning doorknobs or unscrewing lids
- ☐ Takes some clothes off by himself, like loose pants or an open jacket
- ☐ Jumps off the ground with both feet
- ☐ Turns book pages, one at a time, when you read to her

* It's time for developmental screening!

At 30 months, your child is due for general developmental screening as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.

Other important things to share with the doctor...

- What are some things you and your child do together?
- 2. What are some things your child likes to do? _
- 3. Is there anything your child does or does not do that concerns you? _
- 4. Has your child lost any skills he/she once had?
- 5. Does your child have any special healthcare needs or was he/she born prematurely?

You know your child best. Don't wait. If your child is not meeting one or more milestones, has lost skills

You know your child best. Don't wait. If your child is not meeting one or more milestones, has lost skills he or she once had, or you have other concerns, act early. Talk with your child's doctor, share your concerns, and ask about developmental screening. If you or the doctor are still concerned:

- 1. Ask for a referral to a specialist who can evaluate your child more; and
- **2.** Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at **cdc.gov/FindEl**.

For more on how to help your baby, visit cdc.gov/Concerned.









☐ Share this checklist & keep tracking milestones! Take this checklist to your child's next check-up and be sure to share it with the doctor, as well as others who care for your child. Keep tracking by downloading CDC's FREE *Milestone Tracker* app or find online checklists at www.cdc.gov/Milestones.



□ Support your child's development with these tips and many more from www.cdc.gov/milestones or on CDC's *Milestone Tracker* app

- Give your child food choices that are simple and healthy. Let him choose what to eat for a snack or what to wear. Limit choices to two or three.
- Play with your child outside. For example, take your child to the park to climb on equipment and run in safe areas.
- Encourage "free play," where your child can follow her interests, try new things, and use things in new ways.
- Help your child learn how to play with other children. Show him how by helping him share, take turns, and use his "words."
- Allow your child to eat as much or as little as she wants at each meal. Your job is to offer her healthy foods and it's your child's job to decide if and how much she wants to eat.

If your child is missing milestones or you have other concerns:

☐ Call your child's doctor. Schedule a follow-up visit with your child's doctor as soon as possible		
Tell the doctor you want to talk about your child's development. Take this checklist with you and ask		
for developmental screening.		
Call for services to help. Call	and say "I have concerns about my child's	
development and would like to have my child evaluated to find out if he/she is eligible for services to		
help." You don't need a doctor's referral to call this progra	am.	

Don't wait. Acting early can make a real difference!

Note to Dr.

- WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) encourages families to talk with you about their child's development.
- This checklist reflects milestones MOST children (at least 75%) would be expected to meet by this age.
- Missing milestones can be an indication to administer a developmental screening. The American Academy of Pediatrics (AAP) recommends developmental screening between recommended screening ages if concerns arise; this checklist is not a substitute for a standardized, validated screening tool.
- If a developmental screening shows concerns or you or the parent still have concerns, refer to your states' early intervention program ______ and, at the same time, for further developmental and medical evaluation.
- For FREE resources to support developmental surveillance, visit cdc.gov/ActEarly/Healthcare.





